


Geberit Mapress CuNiFe



	Description
Geberit Mapress pipes	<ul style="list-style-type: none">• System pipes → Page 138
Geberit Mapress fittings	<ul style="list-style-type: none">• Couplings → Page 138• Bends → Page 139• Bends with plain ends → Page 140• Bend adapters → Page 141• Reducers → Page 142• T-pieces → Page 143• Adapters → Page 146• Flanges → Page 147• Pipe valve fittings → Page 148• Bulkhead and deck passings → Page 149

System pipes

Geberit Mapress system pipe CuNiFe



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Noncombustible, combustible substance class A1 in acc. with DIN 4102-1
- Seamlessly drawn

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Thermal conductivity of pipe	50 W/(m·K)
Thermal expansion	0.017 mm/(m·K)

Scope Of Delivery

- Delivery in sections

Ordering Information

Article no.	dØ [mm]	diØ [mm]	s [mm]	L (m) [m]
56319	15	13	1	6
56321	22	20	1	6
56326	22	19	1,5	6
56322	28	25	1,5	6
56323	35	32	1,5	6
56324	42	39	1,5	6
56325	54	51	1,5	6
56327	76,1	72,1	2	6
56328	88,9	84,9	2	6
56329	108	104	2,5	6

Couplings

Geberit Mapress coupling



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---


Scope Of Delivery

- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
67002	15	4,8	0,8
67004	22	5	0,8
67005	28	5,4	0,8
67006	35	6,2	1
67007	42	7,1	1,1
67008	54	8,3	1,3
67009	76,1	14,1	3,5
67010	88,9	16,2	4,2
67011	108	19,4	4,4

Geberit Mapress slip coupling



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---

Scope Of Delivery


- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	E [cm]	L [cm]	Z [cm]
67102	15	2,5	8	3
67104	22	2,5	8,4	3,4
67105	28	3	9,1	3,1
67106	35	3	10,2	4,2
67107	42	4	12	4
67108	54	4	14	6
67109	76,1	6	23	11
67110	88,9	7	26	12
67111	108	8	31	15

Bends

Geberit Mapress bend 90°



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°


Scope Of Delivery

- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
68102	15	3,8	1,8
68104	22	4,7	2,6
68105	28	5,7	3,4
68106	35	6,8	4,2
68107	42	8	5
68108	54	10	6,5
68109	76,1	15,3	10
68110	88,9	17,9	11,9
68111	108	22,2	14,7

Geberit Mapress bend 60°



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- With pressing indicator
- Leaky if unpressed
- Sea water resistant

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	60°


Scope Of Delivery

- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
68804	15	4	2
68806	22	4,7	2,6
68807	28	5,4	3,1
68808	35	5	2,4
68809	42	5,9	2,9
68810	54	7,2	3,7
68811	76,1	11,3	6
68812	88,9	13,1	7,1
68813	108	16,2	8,7

Geberit Mapress bend 45°



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	45°

Scope Of Delivery


- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
67602	15	2,8	0,8
67604	22	3,2	1,1
67605	28	3,7	1,4
67606	35	4,3	1,7
67607	42	5,1	2,1
67608	54	6,2	2,7
67609	76,1	9,7	4,4
67610	88,9	11,2	5,2
67611	108	13,9	6,4



Geberit Mapress bend 30°



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- With pressing indicator
- Leaky if unpressed
- Sea water resistant

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	30°


Scope Of Delivery

- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
68736	15	3,3	1,3
68738	22	3,7	1,6
68739	28	4,1	1,8
68740	35	3,7	1,1
68741	42	4,4	1,4
68742	54	5,2	1,7
68743	76,1	8,4	3,1
68744	88,9	9,6	3,6
68745	108	11,8	4,3

Geberit Mapress bend 15°



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- With pressing indicator
- Leaky if unpressed
- Sea water resistant

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	15°

Scope Of Delivery

- Seal rings CIIR black



Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
68716	15	3	1
68718	22	3,3	1,2
68719	28	3,6	1,3

Article no.	dØ [mm]	L [cm]	Z [cm]
68720	35	3,2	0,6
68721	42	3,7	0,7
68722	54	4,4	0,9
68723	76,1	7,1	1,8
68724	88,9	8	2
68725	108	9,9	2,4

Bends with plain ends

Geberit Mapress bend 90° with plain end



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Plain end

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°


Scope Of Delivery

- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	H [cm]	L [cm]	Z [cm]
68302	15	5,1	3,8	1,8
68304	22	6	4,7	2,6
68305	28	6,6	5,7	3,4
68306	35	7,7	6,8	4,2
68307	42	9	8	5
68308	54	11,1	10	6,5
68309	76,1	16,6	15,3	10
68310	88,9	19,4	17,9	11,9
68311	108	24	22,2	14,7

Geberit Mapress bend 90° with plain ends



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water


Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°

Ordering Information

Article no.	dØ [mm]	H [cm]	H1 [cm]	K [cm]	K1 [cm]
67402	15	7	12	2,2	7,2
67404	22	7	12	0,9	5,9
67405	28	8	12	0,7	4,7
67406	35	12	20	3	11
67407	42	15	25	4,4	14,4
67408	54	20	30	6,5	16,5

Geberit Mapress bend 45° with plain end



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Plain end

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	45°

Scope Of Delivery


- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	H [cm]	L [cm]	Z [cm]
67702	15	3,7	2,8	0,8
67704	22	4,4	3,2	1,1
67705	28	5	3,7	1,4
67706	35	5,2	4,3	1,7
67707	42	6,1	5,1	2,1
67708	54	7,3	6,2	2,7
67709	76,1	11,1	9,7	4,4
67710	88,9	13	11,2	5,2
67711	108	15,7	13,9	6,4

Bend adapters

Geberit Mapress bend adapter 90° with male thread



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Male thread

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°

Scope Of Delivery


- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	R ["]	H [cm]	L [cm]	Z [cm]
67515	15	1/2	7,5	3,8	1,8
67516	22	1/2	8,4	4,7	2,6
67517	22	3/4	8,8	4,7	2,6
67518	28	1	9,7	5,7	3,4
67519	35	1 1/4	11,2	6,8	4,2
67520	42	1 1/2	12,6	8	5
67521	54	2	15,3	10	6,5



Geberit Mapress bend adapter 90° with female thread



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Female thread

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°

Scope Of Delivery


- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	Rp ["]	L [cm]	L1 [cm]	Z [cm]	Z1 [cm]
67503	15	1/2	3,8	7,7	1,8	6,4
67506	22	1/2	4,7	8,6	2,6	7,3
67507	22	3/4	4,7	8,8	2,6	7,3
67508	28	1	5,7	9,7	4	7,8
67509	35	1 1/4	6,8	11	4,2	9,1
67510	42	1 1/2	8	12,3	5	10,4
67511	54	2	10	15,3	6,5	13

Reducers

Geberit Mapress reducer with plain end



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Plain end

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---

Scope Of Delivery


- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	d1Ø [mm]	H [cm]	L [cm]
67305	22	15	3,9	5,9
67307	28	15	4,6	6,6
67309	28	22	3,9	6
67312	35	22	5	7,1
67313	35	28	4,5	6,8
67317	42	28	6	8,3
67318	42	35	4,7	7,3
67323	54	35	8	10,6
67324	54	42	5,9	8,9
67337	76,1	42	6,3	12,7
67325	76,1	54	11,1	14,6
67338	88,9	54	12,8	16,3
67327	88,9	76,1	10,7	16
67346	108	76,1	13,1	18,4
67330	108	88,9	14,4	20,4

T-pieces

Geberit Mapress T-piece equal



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°

Scope Of Delivery

- Seal rings CIIR black


Ordering Information

Article no.	dØ [mm]	L [cm]	L1 [cm]	l [cm]	Z [cm]	Z1 [cm]
68002	15	6,4	4	3,2	1,2	2
68004	22	7,4	4,5	3,7	1,6	2,4
68005	28	8,4	5,1	4,2	1,9	2,8
68006	35	10	5,9	5	2,4	3,3
68007	42	11,4	6,6	5,7	2,7	3,6
68008	54	13,8	7,2	6,9	3,4	3,7
68009	76,1	23	11	11,5	6,2	5,7
68010	88,9	26	12,8	13	7	6,8
68011	108	31	15,3	15,5	8	7,8



CuNiFe

Geberit Mapress T-piece reduced



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Reduced

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°


Scope Of Delivery

- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	d1Ø [mm]	d2Ø [mm]	L [cm]	L1 [cm]	I [cm]	I2 [cm]	Z [cm]	Z1 [cm]	Z2 [cm]
67206	22	15	22	7,4	4,4	3,7	3,7	1,6	2,4	1,6
67209	28	15	28	8,4	4,7	4,2	4,2	1,9	2,7	1,9
67211	28	22	28	8,4	4,8	4,2	4,2	1,9	2,7	1,9
67212	35	15	35	10	4,9	5	5	2,4	2,9	2,4
67214	35	22	35	10	5,2	5	5	2,4	2,1	2,4
67215	35	28	35	10	5,5	5	5	2,4	3,2	2,4
67218	42	22	42	11,4	5,4	5,7	5,7	2,7	3,3	2,7
67219	42	28	42	11,4	5,8	5,7	5,7	2,7	3,5	2,7
67220	42	35	42	11,4	6,2	5,7	5,7	2,7	3,6	2,7
67227	54	22	54	13,8	6,1	6,9	6,9	3,4	4	3,4
67228	54	28	54	13,8	6,4	6,9	6,9	3,4	4,1	3,4
67225	54	35	54	13,8	6,8	6,9	6,9	3,4	4,2	3,4
67226	54	42	54	13,8	7,2	6,9	6,9	3,4	4,2	3,4
67229	76,1	22	76,1	23	7,7	11,5	11,5	6,2	5,6	6,2
67230	76,1	28	76,1	23	7,9	11,5	11,5	6,2	5,6	6,2
67231	76,1	35	76,1	23	8,1	11,5	11,5	6,2	5,5	6,2
67252	76,1	42	76,1	23	8,1	11,5	11,5	6,2	5,1	6,2
67253	76,1	54	76,1	23	8,7	11,5	11,5	6,2	5,2	6,2
67233	88,9	22	88,9	26	8,5	13	13	7	6,4	7
67250	88,9	28	88,9	26	8,7	13	13	7	6,4	7
67251	88,9	35	88,9	26	9	13	13	7	6,4	7
67239	88,9	42	88,9	26	9,2	13	13	7	6,2	7
67260	88,9	54	88,9	26	9,3	13	13	7	5,8	7
67261	88,9	76,1	88,9	26	11,4	13	13	7	6,1	7
67244	108	22	108	31	10,3	15,5	15,5	8	8,2	8
67245	108	28	108	31	10,5	15,5	15,5	8	8,2	8
67246	108	35	108	31	10,8	15,5	15,5	8	8,2	8
67247	108	42	108	31	11	15,5	15,5	8	8	8
67248	108	54	108	31	11,3	15,5	15,5	8	7,8	8
67269	108	76,1	108	31	12,4	15,5	15,5	8	7,1	8
67270	108	88,9	108	31	13,5	15,5	15,5	8	7,5	8

Geberit Mapress T-piece with female thread



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- Female thread
- With pressing indicator

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
Elbow	90°

Scope Of Delivery

- Seal rings CIIR black

Ordering Information


Article no.	dØ [mm]	Rp ["]	d1Ø [mm]	L [cm]	L1 [cm]	l [cm]	l2 [cm]	Z [cm]	Z1 [cm]	Z2 [cm]
67344	15	1/2	15	6,4	3,7	3,2	3,2	0,8	2,4	0,8
67347	22	1/2	22	7,4	4,1	3,7	3,7	1,6	2,8	1,6
67348	22	3/4	22	7,4	4,6	3,7	3,7	1,6	3,1	1,6
67349	28	1/2	28	8,4	4,4	4,2	4,2	1,9	3,1	1,9
67350	28	3/4	28	8,4	4,6	4,2	4,2	1,9	3,1	1,9
67352	35	1/2	35	10	4,8	5	5	2,4	3,5	2,4
67353	35	3/4	35	10	5,3	5	5	2,4	4	2,4
67356	42	1/2	42	11,4	5,1	5,7	5,7	2,7	3,8	2,7
67357	42	3/4	42	11,4	5,6	5,7	5,7	2,7	4,3	2,7
67360	54	1/2	54	13,8	5,7	6,9	6,9	3,4	4,4	3,4
67361	54	3/4	54	13,8	6,2	6,9	6,9	3,4	4,9	3,4
67366	76,1	3/4	76,1	23	7,9	11,5	11,5	6,2	6,4	6,2
67369	88,9	3/4	88,9	26	8,8	13	13	7	7,3	7
67373	108	3/4	108	31	10,5	15,5	15,5	8	9	8



CuNiFe

Adapters

Geberit Mapress adapter with male thread



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Male thread

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---


Scope Of Delivery

- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	R ["]	H [cm]	L [cm]
68703	15	1/2	3,3	5,3
68715	22	1/2	3,3	5,4
68707	22	3/4	3,7	5,8
68708	28	1	4,1	6,4
68709	35	1 1/4	4,6	7,2
68710	42	1 1/2	4,7	7,7
68711	54	2	5,4	8,9

Geberit Mapress adapter with male thread NPT



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- With pressing indicator
- Leaky if unpressed
- Sea water resistant
- Male thread NPT

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---


Scope Of Delivery

- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	R ["]	H [cm]	L [cm]
68833	15	1/2 NPT	4,1	6,1
68837	22	3/4 NPT	4,2	6,3
68838	28	1 NPT	4,9	7,2
68839	35	1 1/4 NPT	5,2	7,8
68840	42	1 1/2 NPT	5,3	8,3
68841	54	2 NPT	5,5	9

Geberit Mapress adapter with female thread



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Female thread

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---


Scope Of Delivery

- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	Rp ["]	L [cm]	Z [cm]
67802	15	1/2	5,5	2,2
67805	22	1/2	5,6	2,2
67806	22	3/4	5,8	2,2
67809	28	1	6,4	2,4
67811	35	1 1/4	7	2,5
67814	42	1 1/2	7,4	2,5
67818	54	2	8,9	3,1

Geberit Mapress adapter union with male thread



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- Male thread
- Removable, flat seal

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---

Scope Of Delivery


- Seal ring CIIR black
- EPDM flat gasket

Ordering Information

Article no.	dØ [mm]	R ["]	G ["]	H [cm]	L [cm]
67232	15	1/2	3/4	6,1	8,1
67234	22	1/2	1	6,3	8,4
67243	22	3/4	1	6,4	8,5
67235	28	1	1 1/4	7,3	9,6
67236	35	1 1/4	1 1/2	7,8	10,4
67237	42	1 1/2	1 3/4	7,9	10,9
67238	54	2	2 3/8	8,9	12,4

Flanges

Geberit Mapress flange PN 6, with pressing socket



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- With pressing socket

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---


Scope Of Delivery

- Seal ring CIIR black
- Excluded: Set of bolts for flange
- Excluded: Flange gasket

Ordering Information

Article no.	dØ [mm]	diØ [mm]	D [cm]	k [cm]	m [cm]	H [cm]	L [cm]	Z [cm]
68774	15	13	8	5,5	1,1	0,6	5	3
68776	22	19	9	6,5	1,1	0,6	5,1	3
68777	28	25	10	7,5	1,1	0,8	5,9	3,6
68778	35	32	12	9	1,4	0,8	6,1	3,5
68779	42	39	13	10	1,4	0,9	7	4
68780	54	51	14	11	1,4	1,1	8,3	4,8
68781	76,1	72,1	16	13	1,4	1,3	12,3	7
68782	88,9	84,9	19	15	1,8	1,3	13,8	7,8
68783	108	104	21	17	1,8	1,6	16,6	9,1

Geberit Mapress flange PN 10/16, with pressing socket



Application Purpose

- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Leaky if unpressed
- With pressing indicator
- With pressing socket

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---


Scope Of Delivery

- Seal ring CIIR black
- Excluded: Set of bolts for flange
- Excluded: Flange gasket

Ordering Information

Article no.	dØ [mm]	diØ [mm]	D [cm]	k [cm]	m [cm]	H [cm]	L [cm]	Z [cm]
68764	15	13	9,5	6,5	1,4	0,8	5,3	3,3
68766	22	19	10,5	7,5	1,4	0,8	5,5	3,4
68767	28	25	11,5	8,5	1,4	0,9	6	3,7
68768	35	32	14	10	1,8	1	6,4	3,8
68769	42	39	15	11	1,8	1,1	7,2	4,2
68770	54	51	16,5	12,5	1,8	1,3	8,2	4,7
68771	76,1	72,1	18,5	14,5	1,8	1,3	12,1	6,8
68772	88,9	84,9	20	16	1,8	1,3	13,6	7,6
68773	108	104	22	18	1,8	1,6	16,4	8,9

Geberit Mapress flanged stub with plain end, for loose flange PN 6



Application Purpose

- For loose flange
- For pipe systems carrying sea water
- Not suitable for drinking water

Characteristics

- Resistant to sea water
- Plain end

Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---

Scope Of Delivery

- Excluded: Loose flange
- Excluded: Set of bolts for flange
- Excluded: Flange gasket


Ordering Information

Article no.	dØ [mm]	da [mm]	diØ [mm]	D [cm]	H [cm]	h [cm]	PN [bar]
68756	22	27	19	5	13,5	0,6	6
68757	28	32	25	6	13,5	0,6	6
68758	35	40	32	7	13,5	0,6	6
68759	42	47	39	8	13,5	0,6	6
68760	54	59	51	9	13,5	0,8	6
68761	76,1	78	72,1	11	13,5	0,8	6
68762	88,9	91	84,9	12,8	13,5	1	6
68763	108	110	104	14,8	13,5	1	6



CuNiFe

Geberit Mapress flanged stub with plain end, for loose flange PN 10/16



Application Purpose

- For pipe systems carrying sea water
- For loose flange
- Not suitable for drinking water

Characteristics

- Resistant to sea water
- Plain end

Product Details

Product material | CuNi10Fe1.6Mn, product material no. 2.1972.11

Scope Of Delivery


- Excluded: Loose flange
- Excluded: Set of bolts for flange
- Excluded: Flange gasket

Ordering Information

Article no.	dØ [mm]	da [mm]	diØ [mm]	D [cm]	H [cm]	h [cm]	PN [bar]
68791	22	27	19	5,8	13,5	0,6	10 / 16
68793	28	32	25	6,8	13,5	0,6	10 / 16
68794	35	40	32	7,8	13,5	0,6	10 / 16
68795	42	47	39	8,8	13,5	0,6	10 / 16
68796	54	59	51	10,2	13,5	0,8	10 / 16
68797	76,1	78	72,1	12,2	13,5	0,8	10 / 16
68798	88	91	84,9	13,8	13,5	1	10 / 16
68799	108	110	104	15,8	13,5	1	10 / 16

Pipe valve fittings

Geberit Mapress ball valve with lever and hose connector, flanged



Characteristics

- Connection flange made from CuNi10Fe1.6Mn
- Valve body made from CrNiMo steel
- Pressing socket made from CuNi10Fe1.6Mn
- Threaded nipple with brass sealing cap


Scope Of Delivery

- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	G ["]	L [cm]	L1 [cm]	L2 [cm]	Z [cm]	PN [bar]
92033	22	1	13,8	12,5	6	4	13

Geberit Mapress ball valve with lever stainless steel, flanged



Characteristics

- Connection flange made from CuNi10Fe1.6Mn
- Valve body made from CrNiMo steel
- Leaky if unpressed
- Pressing sockets made from CuNi10Fe1.6Mn

Scope Of Delivery


- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	L1 [cm]	L2 [cm]	Z [cm]	PN [bar]
92000	15	12,5	10,5	5	4,3	13
92002	22	13,5	6,5	11	4,7	13
92003	28	14,7	7,5	14	5,1	13
92004	35	17,3	8	14	6,1	13
92005	42	19,6	9,5	16,5	6,8	13
92006	54	22,4	10,5	16,5	7,7	13
92007	76,1	30,1	13,5	22	9,8	10
92008	88,9	34	14,5	22	11	10
92009	108	41,8	17,5	32	13,4	10

Bulkhead and deck passings

Geberit Mapress non-return valve, flanged



Characteristics

- Connection flange made from CuNi10Fe1.6Mn
- Valve body made from CrNiMo steel
- Leaky if unpressed
- Pressing sockets made from CuNi10Fe1.6Mn

Scope Of Delivery


- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]	PN [bar]
92010	15	13	4,5	13
92012	22	12,6	4,2	13
92013	28	13,6	4,5	13
92014	35	15,5	5,2	13
92015	42	17,9	6	13
92016	54	20,1	6,6	13
92017	76,1	27,6	8,5	10
92018	88,9	30,7	9,4	10
92019	108	38,2	11,6	10

Bulkhead and deck passings

Geberit Mapress bulkhead and deck passing with plain ends



Application Purpose

- For pipe systems carrying sea water
- To weld into ship bulkheads
- Not suitable for drinking water


Product Details

Product material	CuNi10Fe1.6Mn, product material no. 2.1972.11
------------------	---

Ordering Information

Article no.	dØ [mm]	D [cm]	L [cm]	l [cm]
92080	15	2,5	45	16,5
92082	22	3,4	45	16,5
92083	28	3,8	45	16,5
92084	35	4,5	45	16,5
92085	42	5,4	45	16,5
92086	54	7	45	16,5
92087	76,1	8,9	45	16,5
92088	88,9	10,8	45	16,5
92089	108	13,3	45	16,5

Geberit Mapress bulkhead and deck passing with plain end and bend 90°



Application Purpose

- To weld into ship bulkheads


Product Details

Product material	CuNi10Fe1Mn, product material no. CW352H
------------------	--

Ordering Information

Article no.	dØ [mm]	D [cm]	L [cm]	L1 [cm]	I1 [cm]	I2 [cm]	I3 [cm]	Z [cm]
92094	28	3,8	5,7	23,4	5	7,9	10,5	3,4

Geberit Mapress bulkhead and deck passing with plain end and T-piece



Application Purpose

- To weld into ship bulkheads

Product Details

Product material	CuNi10Fe1Mn, product material no. CW352H
------------------	--

Ordering Information

Article no.	dØ [mm]	D [cm]	L [cm]	L1 [cm]	l [cm]	I1 [cm]	I2 [cm]	I3 [cm]	Z [cm]
92093	28	3,8	8,4	20	4,2	3	12	5	1,9



CuNiFe

