


Geberit Mapress Stainless Steel FKM blue

	Description
Geberit Mapress fittings	• Couplings → Page 56
	• Bends → Page 56
	• Reducers → Page 59
	• T-Pieces → Page 59
	• Adapters → Page 62
	• Elbow Adapters → Page 65
	• Connectors → Page 66
	• Straight unions → Page 66
	• Flanges → Page 67
	• Ball valves → Page 68
	• Closures → Page 68
Geberit Mapress accessories	→ Page 68

Couplings

Geberit Mapress coupling



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
50062	15	4,8	0,8
50063	18	4,8	0,8
50064	22	5	0,8
50065	28	5,4	0,8
50066	35	6,2	1
50067	42	7,1	1,1
50068	54	8,3	1,3
50071	76,1	14,1	3,5
50072	88,9	16,2	4,2
50073	108	19,4	4,4

Geberit Mapress slip coupling



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------


Ordering Information

Article no.	dØ [mm]	E [cm]	L [cm]	Z [cm]
50082	15	2,5	8	3
50083	18	2,5	8	3
50084	22	2,5	8,4	3,4
50085	28	3	9,1	3,1
50086	35	3	10,2	4,2
50087	42	4	12	4
50088	54	4	14	6

Article no.	dØ [mm]	E [cm]	L [cm]	Z [cm]
50091	76,1	6	23	11
50092	88,9	7	26	12
50093	108	8	31	15

Bends

Geberit Mapress bend 15°



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	15°

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
50182	15	3	1
50184	22	3,3	1,2
50185	28	3,6	1,3
50186	35	3,2	0,6
50187	42	3,7	0,7
50188	54	4,4	0,9
50191	76,1	7,1	1,8
50192	88,9	8	2
50193	108	9,9	2,4



Geberit Mapress bend 30°



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	30°

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
50202	15	3,3	1,3
50204	22	3,7	1,6
50205	28	4,1	1,8
50206	35	3,7	1,1
50207	42	4,4	1,4
50208	54	5,2	1,7
50211	76,1	8,4	3,1
50212	88,9	9,6	3,6
50213	108	11,8	4,3

Geberit Mapress bend 45°



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	45°

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
50222	15	3,6	1,6
50223	18	3,7	1,7
50224	22	4,2	2,1
50225	28	4,8	2,5
50226	35	4,3	1,7
50227	42	5,1	2,1

Article no.	dØ [mm]	L [cm]	Z [cm]
50228	54	6,2	2,7
50231	76,1	9,7	4,4
50232	88,9	11,2	5,2
50233	108	13,9	6,4

Geberit Mapress bend 45° with plain end



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Plain end


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	45°

Ordering Information

Article no.	dØ [mm]	H [cm]	L [cm]	Z [cm]
50242	15	4,5	3,6	1,6
50243	18	4,2	3,7	1,7
50244	22	5,2	4,2	2,1
50245	28	5,6	4,8	2,5
50246	35	5,3	4,3	1,7
50247	42	6,1	5,1	2,1
50248	54	7,3	6,2	2,7
50251	76,1	11,1	9,7	4,4
50252	88,9	13	11,2	5,2
50253	108	15,7	13,9	6,4

Geberit Mapress bend 60°



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	60°

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
50262	15	4	2
50264	22	4,7	2,6
50265	28	5,4	3,1
50266	35	5	2,4
50267	42	5,9	2,9
50268	54	7,2	3,7
50271	76,1	11,3	6
50272	88,9	13,1	7,1
50273	108	16,2	8,7

Geberit Mapress bend 90°



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
50282	15	4,9	2,9
50283	18	5,3	3,3
50284	22	6,1	4
50285	28	7,2	4,9
50286	35	6,8	4,2

Article no.	dØ [mm]	L [cm]	Z [cm]
50287	42	8	5
50288	54	10	6,5
50291	76,1	15,3	10
50292	88,9	17,9	11,9
50293	108	22,2	14,7

Geberit Mapress bend 90° with plain end



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Plain end

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°

Ordering Information

Article no.	dØ [mm]	H [cm]	L [cm]	Z [cm]
50312	15	5,9	4,9	2,9
50313	18	6,1	5,3	3,3
50314	22	7	6,1	4
50315	28	7,9	7,2	4,9
50316	35	7,7	6,8	4,2
50317	42	9	8	5
50318	54	11,1	10	6,5
50321	76,1	16,6	15,3	10
50322	88,9	19,4	17,9	11,9
50323	108	24	22,2	14,7

Reducers

Geberit Mapress reducer with plain end



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Plain end

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information

Article no.	dØ [mm]	d1Ø [mm]	H [cm]	L [cm]
50133	18	15	3,5	5,5
50134	22	15	3,9	5,9
50135	22	18	3,7	5,7
50136	28	15	4,6	6,6
50137	28	18	4,4	6,4
50138	28	22	3,9	6
50139	35	15	5,5	7,5
50140	35	18	5,4	7,4
50141	35	22	5	7,1
50142	35	28	4,5	6,8
50143	42	15	6,1	8,1
50144	42	18	6	8
50145	42	22	6,1	8,2
50146	42	28	6	8,3
50147	42	35	5,1	7,7
50148	54	15	7,7	9,7
50149	54	18	7,6	9,6
50150	54	22	7,4	9,5
50151	54	28	8,7	11
50152	54	35	8	10,6
50153	54	42	6,2	9,2
50164	76,1	54	11,1	14,6
50167	88,9	54	12,8	16,3
50168	88,9	76,1	10,8	16,1
50169	108	54	13,7	17,2
50171	108	76,1	13,1	18,4
50172	108	88,9	14,3	20,3

T-pieces

Geberit Mapress T-piece equal



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°

Ordering Information

Article no.	dØ [mm]	L [cm]	L1 [cm]	I [cm]	Z [cm]	Z1 [cm]
50332	15	6,4	3,9	3,2	1,2	1,9
50333	18	6,8	4,1	3,4	1,4	2,1
50334	22	7,4	4,4	3,7	1,6	2,3
50335	28	8,4	5	4,2	1,9	2,7
50336	35	10	5,7	5	2,4	3,1
50337	42	11,4	6,5	5,7	2,7	3,5
50338	54	13,8	7,7	6,9	3,4	4,2
50341	76,1	23	11	11,5	6,2	5,7
50342	88,9	26	12,8	13	7	6,8
50343	108	31	15,3	15,5	8	7,8

Geberit Mapress T-piece reduced



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Reduced

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°


Ordering Information

Article no.	dØ [mm]	d1Ø [mm]	d2Ø [mm]	L [cm]	L1 [cm]	l [cm]	l2 [cm]	Z [cm]	Z1 [cm]	Z2 [cm]
50356	18	15	18	6,8	4,1	3,4	3,4	1,4	2,1	1,4
50357	22	15	22	7,4	4,3	3,7	3,7	1,6	2,3	1,6
50359	22	18	22	7,4	4,3	3,7	3,7	1,6	2,3	1,6
50362	28	15	28	8,4	4,6	4,2	4,2	1,9	2,6	1,9
50364	28	18	28	8,4	4,6	4,2	4,2	1,9	2,6	1,9
50366	28	22	28	8,4	4,7	4,2	4,2	1,9	2,6	1,9
50367	35	15	35	10	4,9	5	5	2,4	2,9	2,4
50368	35	18	35	10	4,9	5	5	2,4	2,9	2,4
50369	35	22	35	10	5	5	5	2,4	2,9	2,4
50370	35	28	35	10	5,3	5	5	2,4	3	2,4
50371	42	15	42	11,4	5,3	5,7	5,7	2,7	3,3	2,7
50372	42	18	42	11,4	5,3	5,7	5,7	2,7	3,3	2,7
50373	42	22	42	11,4	5,4	5,7	5,7	2,7	3,3	2,7
50374	42	28	42	11,4	5,7	5,7	5,7	2,7	3,4	2,7
50375	42	35	42	11,4	6,1	5,7	5,7	2,7	3,5	2,7
50376	54	15	54	13,8	5,9	6,8	6,9	3,4	3,9	3,4
50377	54	18	54	13,8	5,9	6,8	6,9	3,4	3,9	3,4
50378	54	22	54	13,8	6	6,9	6,9	3,4	3,9	3,4
50379	54	28	54	13,8	6,3	6,9	6,9	3,4	4	3,4
50380	54	35	54	13,8	6,7	6,9	6,9	3,4	4,1	3,4
50381	54	42	54	13,8	7,1	6,9	6,9	3,4	4,1	3,4
50389	76,1	22	76,1	23	7,7	11,5	11,5	6,2	5,6	6,2
50390	76,1	28	76,1	23	7,9	11,5	11,5	6,2	5,6	6,2
50391	76,1	35	76,1	23	8,1	11,5	11,5	6,2	5,5	6,2
50392	76,1	42	76,1	23	8,1	11,5	11,5	6,2	5,1	6,2
50393	76,1	54	76,1	23	8,7	11,5	11,5	6,2	5,2	6,2
50395	88,9	22	88,9	26	8,5	13	13	7	6,4	7
50396	88,9	28	88,9	26	8,7	13	13	7	6,4	7
50397	88,9	35	88,9	26	9	13	13	7	6,4	7
50398	88,9	42	88,9	26	9,2	13	13	7	6,2	7
50399	88,9	54	88,9	26	9,3	13	13	7	5,8	7
50400	88,9	76,1	88,9	26	11,4	13	13	7	6,1	7
50401	108	22	108	31	10,3	15,5	15,5	8	8,2	8
50402	108	28	108	31	10,5	15,5	15,5	8	8,2	8
50403	108	35	108	31	10,8	15,5	15,5	8	8,2	8
50404	108	42	108	31	11	15,5	15,5	8	8	8



Article no.	dØ [mm]	d1Ø [mm]	d2Ø [mm]	L [cm]	L1 [cm]	l [cm]	l2 [cm]	Z [cm]	Z1 [cm]	Z2 [cm]
50405	108	54	108	31	11,3	15,5	15,5	8	7,8	8
50407	108	76,1	108	31	12,4	15,5	15,5	8	7,1	8
50408	108	88,9	108	31	13,5	15,5	15,5	8	7,5	8

Geberit Mapress T-piece with female thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Female thread

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°

Ordering Information

Article no.	dØ [mm]	Rp ["]	d1Ø [mm]	L [cm]	L1 [cm]	l [cm]	l2 [cm]	Z [cm]	Z1 [cm]	Z2 [cm]
50413	15	1/2	15	6,4	4	3,2	3,2	1,2	2,7	1,2
50414	18	1/2	18	6,8	4,2	3,4	3,4	1,4	2,9	1,4
50415	18	3/4	18	6,8	4,4	3,4	3,4	1,4	2,9	1,4
50416	22	1/2	22	7,4	4,3	3,7	3,7	1,6	3	1,6
50417	22	3/4	22	7,4	4,6	3,7	3,7	1,6	3,1	1,6
50418	28	1/2	28	8,4	4,6	4,2	4,2	1,9	3,3	1,9
50419	28	3/4	28	8,4	4,9	4,2	4,2	1,9	3,4	1,9
50420	28	1	28	8,4	5,3	4,2	4,2	1,9	3,6	1,9
50421	35	1/2	35	10	5	5	5	2,4	3,7	2,4
50422	35	3/4	35	10	5,3	5	5	2,4	3,8	2,4
50424	42	1/2	42	11,4	5,3	5,7	5,7	2,7	4	2,7
50425	42	3/4	42	11,4	5,6	5,7	5,7	2,7	4,1	2,7
50427	54	1/2	54	13,8	5,9	6,9	6,9	3,4	4,6	3,4
50428	54	3/4	54	13,8	6,2	6,9	6,9	3,4	4,7	3,4
50429	54	2	54	13,8	7,9	6,9	6,9	3,4	5,6	3,4
50437	76,1	3/4	76,1	23	7,9	11,5	11,5	6,2	6,4	6,2
50438	76,1	2	76,1	23	8,9	11,5	11,5	6,2	6,6	6,2
50440	88,9	3/4	88,9	26	8,8	13	13	7	7,3	7
50441	88,9	2	88,9	26	9,6	13	13	7	7,3	7
50443	108	3/4	108	31	10,5	15,5	15,5	8	9	8
50444	108	2	108	31	11,5	15,5	15,5	8	9,2	8

Adapters

Geberit Mapress adapter with male thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Male thread


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information

Article no.	dØ [mm]	R ["]	H [cm]	L [cm]
50452	15	3/8	1,8	3,8
50453	15	1/2	2,1	4,1
50454	15	3/4	2,3	4,3
50455	18	1/2	2,2	4,2
50456	18	3/4	2,4	4,4
50457	22	1/2	2,1	4,2
50458	22	3/4	2,3	4,4
50459	22	1	2,5	4,6
50460	28	3/4	2,3	4,6
50461	28	1	2,3	4,8
50463	35	1	2,5	5,1
50464	35	1 1/4	2,7	5,3
50465	42	1 1/4	2,7	5,7
50466	42	1 1/2	2,7	5,7
50467	54	1 1/2	4,8	8,3
50468	54	2	5,4	8,9
50471	76,1	2 1/2	7	12,3

Geberit Mapress adapter with female thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Female thread


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information

Article no.	dØ [mm]	Rp ["]	L [cm]	Z [cm]
50484	15	1/2	3,7	0,4
50485	15	3/4	3,8	0,3
50486	18	1/2	3,7	0,4
50487	18	3/4	3,8	0,3
50488	22	1/2	3,6	0,2
50489	22	3/4	3,9	0,3
50490	22	1	4,2	0,4
50491	28	1/2	3,8	0,2
50492	28	3/4	3,9	0,3
50493	28	1	4,4	0,4
50494	35	1	4,5	0,2
50495	35	1 1/4	4,9	0,4
50496	35	1 1/2	4,9	0,4
50497	42	1 1/4	5,1	0,2
50498	42	1 1/2	5,3	0,4
50499	54	1 1/2	7,1	2,2
50500	54	2	6,2	0,4

Geberit Mapress adapter with union nut



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Union nut made of brass
- Flat sealed

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------


Scope Of Delivery

- Flat gasket FPM green

Ordering Information

Article no.	dØ [mm]	G ["]	L [cm]	Z [cm]
50652	15	1/2	5,1	2,5
50653	15	3/4	3,7	1,1
50656	18	3/4	3,7	1,1
50661	22	1	4	1,1
50662	22	1 1/4	4,3	1,3
50663	22	1 1/2	4,4	1,3
50664	28	1	4	1,3
50665	28	1 1/4	4,4	1,3
50666	28	1 1/2	4,8	1,3
50667	35	1 1/2	4,6	1,3
50668	42	1 3/4	5,2	1,3
50670	54	2 3/8	5,8	1,5

Geberit Mapress adapter union with male thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- Male thread
- Removable, flat seal
- With pressing indicator
- Union nut made of brass

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------


Scope Of Delivery

- Flat gasket FPM green

Ordering Information

Article no.	dØ [mm]	R ["]	G ["]	H [cm]	L [cm]
50562	15	1/2	3/4	4,4	6,4
50563	15	3/4	3/4	4,6	6,6
50564	18	1/2	3/4	4,4	6,4
50565	18	3/4	3/4	4,6	6,6
50566	22	1/2	1	4,6	6,7
50567	22	3/4	1	4,7	6,8
50568	22	1	1	5,2	7,3
50570	28	1	1 1/4	5,5	7,8
50571	35	1 1/4	1 1/2	5,9	8,5
50572	42	1 1/2	1 3/4	6	9
50573	54	2	2 3/8	6,8	10,3

Geberit Mapress adapter union with male thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- Male thread
- Removable, flat seal
- With pressing indicator
- Union nut made of stainless steel

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------


Scope Of Delivery

- Flat gasket FPM green

Ordering Information

Article no.	dØ [mm]	R ["]	G ["]	H [cm]	L [cm]
50581	15	1/2	3/4	4,4	6,4
50582	15	3/4	3/4	4,6	6,6
50583	18	1/2	3/4	4,4	6,4
50584	18	3/4	3/4	4,6	6,6
50585	22	1/2	1	4,6	6,7
50586	22	3/4	1	4,7	6,8
50587	22	1	1	5,2	7,3
50588	28	1	1 1/4	5,5	7,8
50589	35	1 1/4	1 1/2	5,9	8,5
50590	42	1 1/2	1 3/4	6	9
50591	54	2	2 3/8	6,8	10,3

Geberit Mapress adapter union with female thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- Female thread
- Removable, flat seal
- With pressing indicator
- Union nut made of stainless steel

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------


Scope Of Delivery

- Flat gasket FPM green

Ordering Information

Article no.	dØ [mm]	Rp ["]	G ["]	L [cm]	Z [cm]
50631	15	1/2	3/4	5,9	2,6
50632	15	3/4	3/4	6,1	2,6
50633	18	1/2	3/4	5,9	2,6
50634	18	3/4	3/4	6,1	2,6
50635	22	3/4	1	6,3	2,7
50636	22	1	1	6,6	2,8
50637	28	1	1 1/4	7,1	3,1
50638	35	1 1/4	1 1/2	7,7	3,2
50639	42	1 1/2	1 3/4	8,2	3,3
50640	54	2	2 3/8	9,5	3,7

Geberit Mapress adapter union with female thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- Female thread
- Removable, flat seal
- With pressing indicator
- Union nut made of brass

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Operating temperature with FPM flat gasket	-30–180 °C

Scope Of Delivery


- Flat gasket FPM green

Ordering Information

Article no.	dØ [mm]	Rp ["]	G ["]	L [cm]	Z [cm]
50611	15	1/2	3/4	5,9	2,6
50612	15	3/4	3/4	6,1	2,6
50613	18	1/2	3/4	5,9	2,6
50614	18	3/4	3/4	6,1	2,6
50615	22	3/4	1	6,3	2,7
50616	22	1	1	6,6	2,8
50617	28	1	1 1/4	7,1	3,1
50618	35	1 1/4	1 1/2	7,7	3,2
50619	42	1 1/2	1 3/4	8,2	3,3
50620	54	2	2 3/8	9,5	3,7

Elbow adapters

Geberit Mapress elbow adapter 90° with male thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Male thread


Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°

Ordering Information

Article no.	dØ [mm]	R ["]	H [cm]	L [cm]	Z [cm]
50524	15	1/2	3,7	5,7	3,7
50526	18	1/2	3,9	5,7	3,7
50529	22	3/4	4,6	6	3,9
50532	28	1	5,4	6,7	4,4
50533	35	1 1/4	6,3	7,5	4,9

Geberit Mapress elbow adapter 90° with female thread



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Female thread

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°

Ordering Information

Article no.	dØ [mm]	Rp ["]	L [cm]	L1 [cm]	Z [cm]	Z1 [cm]
50544	15	1/2	5,7	3,7	3,7	2,4
50546	18	1/2	5,7	3,9	3,7	2,6
50549	22	3/4	6	4,6	3,9	3,1
50552	28	1	6,7	5,4	4,3	3,7
50553	35	1 1/4	7,5	6,3	4,9	4,4

Connectors

Geberit Mapress elbow tap connector with female thread, offset



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems
- For preWall installation or larger wall distance

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Female thread
- Offset

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90°

Ordering Information

Article no.	dØ [mm]	Rp ["]	L [cm]	L1 [cm]	l [cm]	l1 [cm]	Z [cm]
50792	15	1/2	5	6,5	3,5	1,5	3
50793	18	1/2	5	6,5	3,5	1,5	3
50794	22	3/4	5,4	6,5	3,1	1,6	3,3

Unions

Geberit Mapress union



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- Removable, flat seal
- Union nut made of brass

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Scope Of Delivery



- Flat gasket FPM green

Ordering Information

Article no.	dØ [mm]	G ["]	L [cm]	Z [cm]
50772	15	3/4	6,6	2,6
50773	18	3/4	6,9	2,9
50774	22	1	7,2	3
50775	28	1 1/4	7,7	3,1
50776	35	1 1/2	8,2	3
50777	42	1 3/4	9,5	3,5
50778	54	2 3/8	11,3	4,3

Flanges

Geberit Mapress flange PN 10/16, with pressing socket



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Characteristics

- With seal ring FKM blue
- With pressing indicator
- With pressing socket

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information


Article no.	dØ [mm]	diØ [mm]	D [cm]	k [cm]	m [cm]	H [cm]	L [cm]	Z [cm]	n [ST]	PN [bar]
50683	18	16	9,5	6,5	1,4	1,1	5,7	3,7	4	10 / 16
50684	22	19,6	10,5	7,5	1,4	1,2	5,9	3,8	4	10 / 16
50685	28	25,6	11,5	8,5	1,4	1,4	6,5	4,2	4	10 / 16
50686	35	32	14	10	1,8	1,5	6,9	4,3	4	10 / 16
50687	42	39	15	11	1,8	1,6	7,7	4,7	4	10 / 16
50688	54	51	16,5	12,5	1,8	1,8	8,7	5,2	4	10 / 16
50691	76,1	72,1	18,5	14,5	1,8	1,8	12,6	7,3	4	10 / 16
50692	88,9	84,9	20	16	1,8	2	14,3	8,3	8	10 / 16
50693	108	104	22	18	1,8	2	16,8	9,3	8	10 / 16

Scope Of Delivery

- Excluded: Set of bolts for flange
- Excluded: Flange gasket

Ball valves

Mapress flanged ball valve - Stainless steel



Application Purpose

- For industrial and marine applications

Characteristics

- With seal ring FKM blue
- Ball made from stainless steel

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information

Article no.	dØ [mm]	L [cm]	L1 [cm]	L2 [cm]	Z [cm]	PN [bar]
50732	15	12,5	5,5	9,5	4,3	40
50734	22	13,5	6,5	11	4,7	40
50735	28	14,7	7,5	14	5,1	16
50736	35	17,3	8	14	6,1	16
50737	42	19,6	9,5	16,5	6,8	16
50738	54	22,4	10,5	16,5	7,7	16
50741	76,1	30,1	13,5	22	9,8	16
50742	88,9	34	14,5	22	11	16
50743	108	41,8	17,5	32,5	13,4	16

Closures

Geberit Mapress Cap



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems
- For long-lasting sealing of pipelines

Characteristics

- With seal ring FKM blue
- With pressing indicator

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
50752	15	2,3	0,3
50753	18	2,3	0,3
50754	22	2,4	0,3
50755	28	2,6	0,3
50756	35	2,9	0,3

Article no.	dØ [mm]	L [cm]	Z [cm]
50757	42	3,3	0,3
50758	54	3,8	0,3
50761	76,1	6	0,7
50762	88,9	6,7	0,7
50763	108	8,2	0,7

Accessories

Geberit Mapress seal ring FKM blue



Application Purpose

- For industrial and marine applications
- For sprinkler systems, wet and dry
- For oil supply systems
- For solar systems

Product Details

Product material	FKM
------------------	-----

Ordering Information

Article no.	dØ [mm]
90881	12
90882	15
90883	18
90884	22
90885	28
90886	35
90887	42
90888	54
90891	76,1
90892	88,9
90893	108